

## SOLUTION KEY

MATH110

Quiz6

Section040

1 (3 pts) Find  $\frac{dy}{dx}$  by implicit differentiation.

$$2x^2 + y^2 = xy$$

*Solution.* Differentiating both sides with respect to  $x$  yields

$$\begin{aligned}\frac{d}{dx}(2x^2 + y^2) &= \frac{d}{dx}(xy) \\ 4x + 2y\frac{dy}{dx} &= y + x\frac{dy}{dx} \\ 2y\frac{dy}{dx} - x\frac{dy}{dx} &= y - 4x \\ (2y - x)\frac{dy}{dx} &= y - 4x \\ \frac{dy}{dx} &= \frac{y - 4x}{2y - x}.\end{aligned}$$

2 (3 pts) During the construction of an office building, a hammer is accidentally dropped from a height of 256 ft. The distance (in feet) the hammer falls in  $t$  sec is  $s = 16t^2$ . What is the hammer's velocity when it strikes the ground?

*Solution.* Solving the quadratic equation  $16t^2 = 256$  gives

$$\begin{aligned}t^2 &= 16 \\ t = 4 \quad \text{or} \quad t &= -4.\end{aligned}$$

Since  $t$  is greater than or equal to 0,  $t = 4$ . This implies that the hammer hits the ground after 4 seconds. The velocity can be obtained by

$$v(t) = s'(t) = 32t.$$

Thus, the velocity at  $t = 4$  becomes  $v(4) = 32 \cdot 4 = 128$  ft<sup>2</sup>/sec.

**3 (4 pts)** The volume of a right-circular cylinder of radius  $r$  and height  $h$  is  $V = \pi r^2 h$ . Suppose the radius and height of the cylinder are changing with respect to time  $t$ .

- (a) Find a relationship between  $\frac{dV}{dt}$ ,  $\frac{dr}{dt}$  and  $\frac{dh}{dt}$ .
- (b) At a certain instant of time, the radius and height of the cylinder are 2 and 6 in. and are increasing at the rate of 0.1 and 0.3 in./sec, respectively. How fast is the volume of the cylinder increasing?

*Solution.* For (a). Differentiating both sides of  $V = \pi r^2 h$  with respect to  $t$  tells us

$$\begin{aligned}\frac{d}{dt}(V) &= \pi \frac{d}{dt}(r^2 h) \\ \frac{dV}{dt} &= \pi \left( \frac{d}{dt}(r^2) \cdot h + r^2 \frac{d}{dt}(h) \right) \\ \frac{dV}{dt} &= \pi \left( 2r \frac{dr}{dt} h + r^2 \frac{dh}{dt} \right) \\ \frac{dV}{dt} &= \pi \left( 2rh \frac{dr}{dt} + r^2 \frac{dh}{dt} \right).\end{aligned}$$

For (b).  $r, h, \frac{dr}{dt}$  and  $\frac{dh}{dt}$  are given by

$$r = 2, \quad h = 6, \quad \frac{dr}{dt} = 0.1, \quad \frac{dh}{dt} = 0.3$$

Plugging these values in the equation established in part (a), we have

$$\frac{dV}{dt} = \pi(2 \cdot 2 \cdot 6 \cdot 0.1 + 2^2 \cdot 0.3) = \pi(2.4 + 1.2) = 3.6\pi.$$